


<u>26</u> 27



Index

Fabric lamps

- 12 Base frames
- 13 Shapes & sizes
- 14 Electrical components
- 17 Suspension systems & shades
- 18 Chintz colors
- 20 Chintz B1 & Andor B1 colors
- 22 Decorative foils
- 23 Lamp construction example LED
- 24 Light fixture construction example: classic
- 26 LED fabric luminaire Lounge
- 28 LED downlight
- 30 LED fabric ring luminaire

Floor lamps

- 34 Stella
- 36 Stuard
- 38 Stacy
- 40 Steven
- 42 Stevanna

LED ring luminaires

- 46 DOWN
- 48 DOWN HighPerformance
- 50 SLIM DOWN
- 52 SLIM DOWN HighPerformance
- 54 SLIM UP & DOWN
- 56 SLIM UP & DOWN HighPerformance
- 58 Triangle
- 60 THE CROWNLIGHT 19th CENTURY
- 62 THE CROWNLIGHT 21th CENTURY
- 64 Linear Profilee luminare
- 66 Surface designs

Wire luminares

- 70 Skirt
- 71 PolygonOval
- 72 Lantern
- 73 Sphere
- 74 Bell
- 75 Dome
- 76 Hats
- 77 Woven baskets

Designer luminares

- 80 Creative hat pendant lights
- 82 Chandelier | Chalina
- 84 Chandelier | Cherelyn

Impressions

- 88 Projects
- 92 Designer luminaires
- 93 Production



The luminaire manufacturer



The entire manufacturing process for luminaires, in particular fabric shades, designer lighting, and high-quality technical lighting, is carried out in our own production facilities.

Plastic materials, metal, PVC films, and fabric are used in the manufacture of the luminaires.

Since we manufacture the majority of our products by hand, our customers benefit from a high degree of flexibility and quality.

Wire processing with the CNC wire bending machine enables the production of any shape with maximum precision.

Further processing such as welding, straightening, and grinding are also carried out in-house.

To maintain a long-term quality standard, the wire frames are powder-coated, with the color freely selectable.





We manufacture lumiaires using professional machinery and craftsmanship according to customer requirements.


With modern high-tech light sources, we achieve outstanding illumination combined with high energy savings.

Our high-quality lights are always modern and represent an enhancing accessory for your premises.

Manufacture of luminaires with printed motifs.

Fabrics, films, and sheet materials such as plastic, metal, or glass can be printed using UV digital printing with a white option.

As this is also handled in-house, we can ensure the smooth production of exclusive products.





Our BASIC PRODUCTS



FABRIC LAMP



FLOOR LAMPS



RING LUMINARE



DESIGNER LUMINAIRE

Fabric lamps





Fabric lamps | Base frames



Classic wire frame

For use as a pendant or ceiling light with E27 socket modules or as a Lampshade for floor and table lamps



Classic wire frame with closed fly net

For use as a pendant or ceiling light with E27 socket modules



Support plate for LED circuit boards

For use as a pendant light with LED modules For sizes 200-1180 mm



Support plate for LED circuit boards

For use as ceiling lights with LED modules For sizes 200-1180 mm



Support plate with wire frame

for sizes 1300-1500 mm



Additional option for carrier plate

Cutouts for indirect lighting Only available for sizes from 300 to 1180 mm

Fabric lamps | Shapes & sizes



Cylindrical

Standard diameter in mm

150,200, 250, 300, 350, 400, 450, 500, 550, 580, 700, 750, 780, 900, 1000, 1100, 1180, 1300, 1500

Standard heights in mm

200 - 580





Standard diameter at top and bottom in mm 150,200, 250, 300, 350, 400, 450, 500, 550, 580, 700, 750, 780, 900, 1000, 1100, 1180, 1300, 1500

Standard heights in mm



Rectangular / Square

Standard widths & lengths in mm

150,200, 250, 300, 350, 400, 450, 500, 550, 580, 700, 750, 780, 900, 1000, 1100, 1180, 1300, 1500

Standard heights in mm



Rectangular / Square conical

Standard widths and lengths at top and bottom in mm 150,200, 250, 300, 350, 400, 450, 500, 550, 580, 700, 750, 780, 900, 1000, 1100, 1180, 1300, 1500

Standard heights in mm



Rectangular with rounded ends

Standard widths & lengths in mm

150,200, 250, 300, 350, 400, 450, 500, 550, 580, 700, 750, 780, 900, 1000, 1100, 1180, 1300, 1500

Standard heights in mm

200 - 580



Rectangular conical with rounded ends

Standard widths & lengths in mm

150,200, 250, 300, 350, 400, 450, 500, 550, 580, 700, 750, 780, 900, 1000, 1100, 1180, 1300, 1500

Standard heights in mm

200 - 580

Fabric lamps | Electric



E27-Socket

An E27 socket with two screw rings for mounting on the wire frame with E27 holder



3E27-Socket horizontal

Three E27 sockets arranged horizontally in a circle. Can be mounted on the wire frame with E27 holder using a screw ring

Dimensions: Ø180 x 100 mm



4E27-Socket horizontal

Four E27 sockets arranged horizontally in a circle. Can be mounted on the wire frame with E27 holder using a screw ring.

Dimensions: Ø180 x 100 mm



5E27-Socket horizontal

Five E27 sockets arranged horizontally in a circle. Can be mounted on the wire frame with E27 holder using a screw ring.

Dimensions: Ø180 x 100 mm



6E27-Socket horizontal

Six E27 sockets arranged horizontally in a circle. Can be mounted on the wire frame with E27 holder using a screw ring

Dimensions: Ø180 x 100 mm



8E27-Socket horizontal

Eight E27 sockets arranged horizontally in a circle. Six sockets facing outwards and two facing inwards. Can be mounted on the wire frame using clips.

Dimensions: Ø580 x 55 mm



12E27-Socket horizontal

Twelve E27 sockets arranged horizontally in a circle. Eight sockets facing outwards and four facing inwards. Can be mounted on the wire frame using clips.

Dimensions: Ø880 x 55 mm



3E27-Socket vertically

Three E27 sockets arranged vertically in a circle. Can be mounted on the wire frame with E27 holder using a screwring.

Dimensions: Ø300 x 100 m



4E27-Socket vertically

Four E27 sockets arranged vertically in a circle. Can be mounted on the wire frame with E27 holder using a screw ring.

Dimensions: Ø300 x 100 mm



5E27-Socket vertically

Five E27 sockets arranged vertically in a circle. Can be mounted on the wire frame with E27 holder using a screw ring.

Dimensions: Ø350 x 100 mm



6E27-Socket vertically

Six E27 sockets arranged vertically in a circle. Can be mounted on the wire frame with E27 holder using a screw ring.

Dimensions: Ø350 x 100 mm



8E27-Socket vertically

Eight E27 sockets arranged vertically in a circle. Can be mounted on the wire frame using tabs.

Dimensions: Ø580 x 55 mm



12E27-Socket vertically

Twelve E27 sockets arranged vertically in a circle. Eight sockets on the outside and four sockets on the inside. Can be mounted on the wire frame with clips.

Dimensions: Ø780 x 55 mm



2E27-Socket linear

Two E27 sockets arranged vertically in series, mountable on the wire frame with E27 holder using a screw ring.

 $\textbf{Dimensions:}~300\,x\,80~mm,~hight~100~mm$

Fabric lamps | Electric



3E27-Socket linear

Three E27 sockets arranged vertically in a row, mountable on the wire frame with an E27 holder using a screw ring.

Dimensions: 500 x 80 mm, hight 100 mm



4E27-Socket linear

Four E27 sockets arranged vertically in a row, mountable on the wire frame with an E27 holder using a screw ring.

Dimensions: 750 x 80 mm, hight 100 mm



5E27-Socket linear

Five E27 sockets arranged vertically in a row, mountable on the wire frame with an E27 holder using a screw ring.

Dimensions: 1000 x 80 mm, hight 100 mm



LED-Modul 20-45

LED circuit board on white carrier plate with 27W power and 3,060 lumens. Available in warm white (3000K) and neutral white (4000K) light colors. Optionally dimmable via DALI or Smart Control (Casambi). Suitable for fabric lamps from 200 to 450 mm.





LED-Modul 50-78

LED circuit board on white carrier plate with 34W power and 4,000 lumens. Available in warm white (3000K) and neutral white (4000K) light colors. Optionally dimmable via DALI or SmartControl (Casambi). Suitable for fabric lights from 500 to 780 mm.



LED-Modul 90-118

Three LED boards on a white carrier plate with 102W power and 12,000 lumens. Available in warm white (3000K) and neutral white (4000K) light colors. Optionally dimmable via DALI or SmartControl (Casambi). Suitable for fabric luminaires from 900 to 1180 mm.



LED-Modul 130-150

Four LED boards on a white carrier plate with 136W power and 16,000 lumens. Available in warm white (3000K) and neutral white (4000K) light colors. Optionally dimmable via DALI or SmartControl (Casambi). Suitable for fabric luminaires from 1300 to 1500 mm.

Fabric lamps | Suspension systems & covers



Brushed metal canopy with transparent supply cable

Available in 1.5m | 3.0m | 5.0m



Brushed metal canopy with transparent cable, 3 steel cables with gripper hooks

Available in 1.5m | 3.0m | 5.0m



Brushed metal canopy with transparent cable, 4 steel cables with gripper hooks

Available in 1.5m | 3.0m | 5.0m



Brushed metal canopy with transparent cable, 3 steel cables with ceiling mount & gripper hooks

Available in 1.5m | 3.0m | 5.0m



Brushed metal canopy with transparent cable, 4 steel cables with ceiling mount & gripper hooks

Available in 1.5m | 3.0m | 5.0m



Brushed metal canopy with transparent cable, 3 steel cables with grippers

Available in 1.5m | 3.0m | 5.0m



Brushed metal canopy with transparent cable, 4 steel cables with grippers

Available in 1.5m | 3.0m | 5.0m



Brushed metal canopy withtransparent cable, 3 steel cables with ceiling mount & gripper

Available in 1.5m | 3.0m | 5.0m



Brushed metal canopy withtransparent cable, 4 steel cables with ceiling mount & gripper

Available in 1.5m | 3.0m | 5.0m



Steel cable with ceiling mount & gripper

Available in 1.5m | 3.0m | 5.0m



Cover with white plastic ring (HSP)

Finish:

covered with white foil covered with chintz covered with chintz B1



Cover with wire ring

Finish:

covered with white foil covered with chintz covered with chintz B1



Cover with air gap

Finish:

covered with white foil covered with chintz covered with chintz B1

Fabric lamps | Fabric colors

Chintz





Fabric lamps | Flame-retardant fabrics

Chintz B1



Products | 26|27 Granilux®











Chintz B1 print



Chintz B1 is a finely woven cotton fabric laminated onto a white flame-retardant PVC film. The fabric is impregnated, making it flame-retardant and wipeable.

Andor B1

B1603 | 113 shell





Andor fabric is a medium-weight woven cotton fabric laminated onto white PVC film. Due to its woven structure, Andor fabric has a sound-absorbing effect and is suitable for lighting in open spaces and hotels. The fabric is certified to fire protection class 1 and is therefore flame-retardant.

B1603 | 24 black

Fabric lamps | Decorative foils

High-gloss lacquer foil



66.8560.01 white

66.8560.95 red



66.8560.30 yellow



66.8560.64 orange



66.8560.91 red orange



66.8560.90 red







66.8560.92 violet



66.8560.15 rosé





















Holzfolien [\$30]











R6063.77 dark brown

R6061.81 grey brown

R6063.02 light

R6061.07 cherrytree R6060.02 light brown

Metallicfolien [S07]













66.8570.07 copper



The decorative foils are particularly well suited for laminating the inside of fabric Lampshades. This allows neutral-colored fabric Lampshades, for example, to reflect or emphasize the color scheme of your interior design with a special interior color.

Fabric lamps | Light fixture example LED



Suspension

Brushed metal canopy with 1.5 m transparent cable & 3 cables with grippers

LED-Modul 78

LED circuit board on white carrier plate with 34W power and 4,000 lumens. Available in warm white (3000K) and neutral white (4000K) light colors. Optionally dimmable via DALI or SmartControl (Casambi).



Cylindrical fabric Lampshade

Ø 780 mm, height 200 mm Chintz 1001/000 white

Cover with white plastic ring

covered with white foil

Product description

Cylindrical LED fabric lamp

Dimension: Ø780mm, height 200mm
Frame: Wire rings, powder-coated white

Covering: Chintz 1001/000 white

Suspension: Brushed metal canopy with 1.5m

transparent cable & 3 ropes with grippers

Electrics: LED module 78 TC315 34W 4000lm Dimmable: DALI

Light color: 3000K

Aperture: HSP ring white covered with white foil

Fabric lamps | Light fixture example classic



Wire frame with fly net

Cylindrical fabric Lampshade

Ø 780 mm, height 200 mm Outside - Chintz 1001/000 white Inside - Matt gold 3616/000

4E27 socket, horizontal

Four E27 sockets arranged horizontally in a circle. Can be mounted on the wire frame with E27 holder using a screw ring.

Cover with air gap covered with white foil

Product description

Cylindrical fabric lamp

Dimension: Ø780mm, height 200mm

Frame: Wire frame, powder-coated white Covering: Outside - Chintz 1001/000 white

Inside - Matt gold 3616/000 Suspension: Brushed metal canopy with 1.5m

transparent cable

& 3 ropes with gripper hooks

Electrics: 4E27 socket, horizontal

Cover: Cover with air gap, covered with white foil



Brushed metal canopy with 1.5 m transparent

2x cable with ceiling mount & gripper



250x900 / 350x1000 mm, height 250 mm Outside - Chintz 1001/000 white Inside - Blockout printed

4E27 socket, linear

Four E27 sockets arranged vertically in a row, mountable on the wire frame with E27 holder using a screwring.

Product description

Fabric Lampshade rectangular conical with rounded ends

Dimension: 250x900 / 350x1000 mm, height 200 mm
Frame: Wire frame, powder-coated white
Covering: Outside - Chintz 1001/000 white

Inside - Blockout printed
Suspension: Brushed metal canopy with 1.5m

transparent cable

2 ropes with ceiling mount & gripper hooks

Electrics: 4E27 socket, vertical linear

Fabric lamps | LED fabric luminaire Lounge




The LED fabric lights, equipped with powerful LED boards, are available in four sizes. The fabric color can be selected from a color palette of over 70 colors. Optionally, the fabric can be printed with your desired motif.











Power

Data

Dimensions



Weight












Ø 350 mm, hight 35	0 mm	27W 1.830lm	2,0 kg
Ø 580 mm, hight 25	0 mm	34W 2.400lm	3,6 kg
Ø 780 mm, hight 250 mm		34W 2.400lm	5,1 kg
Ø 1.180 mm, hight 300 mm		102W 7.200lm	8,0 kg
Covering	(selectable) Outside - Chintz (selectable) Inside - Paint films		llic films
Cover	HSP ring white covered with	n white foil	
LED light color	(selectable) Neutral white 400	00K Warm white 300	OK
Dimmable	(selectable) No DALI Smar	tControl via Casambi	Арр
Suspension	Canopy Ø100x25mm, power with 3 cables and gripper - Supply cable 3m		ıdjustable

Fabric lamps | LED-Downlight














Data













Dimensions		Power	Abstrahlwinkel
Ø 180 mm, hight 18 Ø 180 mm, hight 18 Ø 180 mm, hight 18	0 mm	9,5W 760-820lm CRI >90 9,5W 760-820lm CRI >90 9,5W 760-820lm CRI >90	12° 24° 36°
Covering	,	utside - Chintz Chintz B1 Anc side - Paint films Wood films	
LED light color	(selectable) Ne	eutral white 4000K Warm white	e 3000K
Dimmable	(selectable) Ye	s, via phase control (TRIAC)	
Suspension	Ceiling mou	inting	

Fabric lamps | LED fabric ring lights



A classic product with a modern form and contemporary technology. With this lamp, you can enjoy the cozy atmosphere of a fabric lamp and, at the same time, a modern design with excellent light.














Data

Suspension













Dimensions		Power	Weight
Ø 700 mm, cross-s	ection 100 x 80 mm (HxB)	39W 3.470lm	1,8 kg
Ø 860 mm, cross-s	ection 100 x 80 mm (HxB)	49W 4.370lm	2,3 kg
Ø 1.020 mm, cross-section 100 x 80 mm (HxB)		59W 5.270lm	2,9 kg
Ø 1.180 mm, cross-section 100 x 80 mm (HxB)		69W 6.170Im	3,4 kg
Ø 1.340 mm, cross-section 100 x 80 mm (HxB)		79W 7.070lm	4,0 kg
Ø 1.500 mm, cross-s	ection 100 x 80 mm (HxB)	89W 8.010lm	4,5 kg
Covering	(selectable) Chintz Chintz B1	Andor B1	
Cover	White satin acrylic glass wit	th 70% light transmissio	on
LED light color	(selectable) Neutral white 400	00K Warm white 300	OK
Dimmable	(selectable) No DALI Smar	tControl via Casamb	і Арр

with 3 | 4 ropes and gripper - height continuously adjustable

Supply cable 1.5m | 3m | 5m

Canopy Ø270x50mm incl. switching power supply, power supply 230V ~50Hz

Floor lamps



Floor lamps

A floor lamp transcends the boundaries of practical lighting to become a home accessory that you wouldn't want to be without. Light and design form a perfect symbiosis.

Floor lamps | Stella




The Stella floor lamp, modeled after a tripod, automatically creates a skillful focal point with its wooden legs and shade of your choice.











Data









Dimensions	Lampshade	Weight
Ø 600 mm, total height 1.580 mm	Ø 400 mm, hight 350 mm	5,0 kg
Ø 600 mm, total height 1.480 mm	Ø 500 mm, hight 250 mm	5,0 kg
Ø 270 mm, total height 640 mm	Ø 250 mm, hight 200 mm	2,0 kg

Lamp stand color (selectable) Natural oak | Dark glazed beech

Lampshade color (selectable) Chintz | Chintz B1 | Andor B1

Material Wood, stainless steel, chintz

Elektric 1x E27 socket, foot switch, 3m textile cable with plug


Dimmable (selectable) Yes | No

Floor lamps | Stuard




Classic, simple, and functional. The Stuard floor lamp fits easily into any living space. The right choice of shade adds a splash of color.













Dimensions		Lampshade	Weight
Ø 460 mm, total hei Ø 460 mm, total hei	9	Ø 460 mm, hight 300 mm Ø 460 mm, hight 300 mm	8,0 kg 3,0 kg
Lamp stand color	(selectable) Black	White Stainless steel Acco	ording to RAL
Lampshade color	(selectable) Chintz	Chintz B1 Andor B1	
Material	Steel/stainless stee	el, chintz	
Elektric	3x E27 socket, foo	t switch toggle switch, 3m co	able with plug
Dimmable	(selectable) Yes No	0	


Floor lamps | Stacy



Floor lamp or pendant lamp? Stacy offers the perfect symbiosis of both. The extended shade fills the room with its warm light.



Products | 26|27 | Granilux®











Dimensions	Lampshade	Weight
Ø 500 mm, total height 1.600 mm	Ø 400 mm, hight 1000 mm	4,0 kg
Ø 500 mm, total height 1.600 mm	Ø 300 mm, hight 1000 mm	3,7 kg
Ø 300 mm, total height 600 mm	Ø 200 mm, hight 400 mm	1,5 kg

Lamp stand color (selectable) Black | White | According to RAL

Lampshade color (selectable) Chintz | Chintz B1 | Andor B1

Material Steel, chintz

Elektric 2x E27 socket, foot switch, 3m cable with plug |

1 x E27 socket, toggle switch, 3m cable with plug

Dimmable (selectable) Yes | No

Floor lamps | Steven




Clear form, straight lines, a luminaire with corners and edges, elegant and uncompromising.













Dimensions		Lampshade	Weight
500 x 500 mm, total 350 x 350 mm, total 250 x 250 mm, total	height 1.900 mm	500 x 500 mm, hight 700 mm 350 x 350 mm, hight 700 mm 250 x 250 mm, hight 300 mm	10,0 kg 9,0 kg 2,0 kg
Lamp stand color	(selectable) Black Wh	nite Stainless steel According	to RAL
Lampshade color	(selectable) Chintz C	hintz B1 Andor B1	
Material	Steel/stainless steel,	chintz	
Elektric	1x E27 socket, foot sv	vitch toggle switch, 3m cable w	ith plug
Dimmable	(selectable) Yes No		

Floor lamps | Stevanna




Turn your firewood into an eye-catching feature in your home with the Stevanna floor lamp. A unique light source with high practical value.











Elektric









Dimensions		Lampshade	Weight
450 x 450 mm, total h 250 x 250 mm, total h	O	350 x 350 mm, hight 700 mm 215 x 215 mm, hight 300 mm	12,0 kg 3,0 kg
Lamp stand color	(selectable) Black	White Stainless steel Accordi	ing to RAL
Lampshade color	(selectable) Chintz	Chintz B1 Andor B1	
Material	Steel/stainless ste	el, chintz	

Dimmable (selectable) Yes | No

1x E27 socket, foot switch | toggle switch, 3m cable with plug





LED Ring luminaires | DOWN




























Dimensions		Power	Weight
Ø 1.000 mm, cross-s	ection 120 x 120 mm	49W 3.290Im	7,0 kg
Ø 1.180 mm, cross-se	ection 120 x 120 mm	59W 3.940lm	8,5 kg
Ø 1.500 mm, cross-s	ection 120 x 120 mm	75W 5.020lm	12,0 kg
Ø 2.000 mm, cross-s	ection 120 x 120 mm	99W 6.640Im	15,0 kg
Ø 2.500 mm, cross-s	ection 120 x 120 mm	122W 8.200lm	18,0 kg
Ø 3.000 mm, cross-s	ection 120 x 120 mm	148W 9.930lm	20,0 kg
Ø 4.000 mm, cross-s	ection 180 x 150 mm	197W 13.280lm	36,0 kg
Ø 5.000 mm, cross-section 180 x 150 mm		244W 16.410lm	42,0 kg
Ø 6.000 mm, cross-s	ection 180 x 150 mm	295W 19.870lm	48,0 kg
Surface	(selectable) Surface designs B	ASIC PREMIUM	
Material	Foamed polypropylene (B1), HIPS, PET	
LED light color	Neutral white 4000K Warm white 3000K		
Dimmable	(selectable) No DALI Small	rtControl via Casambi App	
Suspension	• •	witching power supply, poweight continuously adjustable	

LED Ring luminaires | DOWN HighPerformance




























Dimensions		Powe	r	Weight
Ø 1.000 mm, cross-se	ection 120 x 120 mm	66W	5.880lm	7,0 kg
Ø 1.180 mm, cross-se	ection 120 x 120 mm	80W	7.120lm	8,5 kg
Ø 1.500 mm, cross-se	ection 120 x 120 mm	104W	9.340lm	12,0 kg
Ø 2.000 mm, cross-se	ection 120 x 120 mm	139W	12.470lm	15,0 kg
Ø 2.500 mm, cross-se	ection 120 x 120 mm	176W	15.760lm	18,0 kg
Ø 3.000 mm, cross-se	ection 120 x 120 mm	214W	19.220lm	20,0 kg
Ø 4.000 mm, cross-se	ection 180 x 150 mm	285W	25.590lm	36,0 kg
Ø 5.000 mm, cross-se	ection 180 x 150 mm	356W	31.960lm	42,0 kg
Ø 6.000 mm, cross-se	ection 180 x 150 mm	432W	38.880lm	48,0 kg
Surface	(selectable) Surface designs B	asic	PREMIUM	
Material	Foamed polypropylene (B1)	, HIPS,	PET	
LED light color	Neutral white 4000K Warn	n white	9 3000K	
Dimmable	(selectable) No DALI Smar	tContr	ol via Casambi App	
Suspension	Canopy Ø100x25mm incl. sv with ropes and grippers - he			

LED Ring luminaires | SLIM DOWN




























Dimensions	Power	Weight
Ø 580 mm, cross-section 80 x 60 mm (HxB)	28W 1.890lm	2,0 kg
Ø 780 mm, cross-section 80 x 60 mm (HxB)	39W 2.590lm	2,3 kg
Ø 1.000 mm, cross-section 80 x 60 mm (HxB)	49W 3.290lm	3,0 kg
Ø 1.180 mm, cross-section 80 x 60 mm (HxB)	59W 3.940lm	3,5 kg
Ø 1.500 mm, cross-section 80 x 60 mm (HxB)	75W 5.020lm	4,5 kg
\varnothing 2.000 mm, cross-section 80 x 60 mm (HxB)	99W 6.640lm	6,0 kg
\varnothing 2.500 mm, cross-section 80 x 60 mm (HxB)	122W 8.200lm	7,5 kg
\varnothing 3.000 mm, cross-section 80 x 60 mm (HxB)	148W 9.930Im	9,0 kg

Surface (selectable) Surface designs BASIC | PREMIUM

Material Foamed polypropylene (B1), HIPS, PET

LED light color Neutral white 4000K | Warm white 3000K

Dimmable (selectable) No | DALI | SmartControl via Casambi App

Suspension Canopy Ø270x50mm | Ø360x60mm incl. switching power supply, power supply 230V ~50Hz

with ropes and grippers - height continuously adjustable

LED Ring luminaires | SLIM DOWN HighPerformance
















LED light color













Dimensions		Power	Weight
Ø 580 mm, cross-sec	ction 80 x 60 mm (HxB)	39W 3.450lm	2,0 kg
Ø 780 mm, cross-sec	ction 80 x 60 mm (HxB)	54W 4.860lm	2,3 kg
Ø 1.000 mm, cross-se	ection 80 x 60 mm (HxB)	71W 6.310lm	3,0 kg
Ø 1.180 mm, cross-se	ection 80 x 60 mm (HxB)	84W 7.560lm	3,5 kg
Ø 1.500 mm, cross-se	ection 80 x 60 mm (HxB)	108W 9.720lm	4,5 kg
Ø 2.000 mm, cross-se	ection 80 x 60 mm (HxB)	144W 12.960lm	6,0 kg
Ø 2.500 mm, cross-se	ection 80 x 60 mm (HxB)	180W 16.200lm	7,5 kg
Ø 3.000 mm, cross-se	ection 80 x 60 mm (HxB)	218W 19.660lm	9,0 kg
Surface	(selectable) Surface designs B	ASIC PREMIUM	
Material	Foamed polypropylene (B1), HIPS, PET	

Dimmable (selectable) No | DALI | SmartControl via Casambi App

Neutral white 4000K | Warm white 3000K

Suspension Canopy Ø270x50mm | Ø360x60mm incl. switching power supply, power supply 230V ~50Hz

with ropes and grippers - height continuously adjustable

LED Ring luminaires | SLIM UP & DOWN




























Dimensions	Power	Weight
Ø 580 mm, cross-section 80 x 60 mm (HxB) Ø 780 mm, cross-section 80 x 60 mm (HxB) Ø 1.000 mm, cross-section 80 x 60 mm (HxB) Ø 1.180 mm, cross-section 80 x 60 mm (HxB) Ø 1.500 mm, cross-section 80 x 60 mm (HxB) Ø 2.000 mm, cross-section 80 x 60 mm (HxB) Ø 2.500 mm, cross-section 80 x 60 mm (HxB) Ø 3.000 mm, cross-section 80 x 60 mm (HxB)	28W 2.200lm 39W 3.020lm 49W 3.840lm 59W 4.590lm 75W 5.850lm 99W 7.740lm 122W 9.570lm 148W 11.590lm	2,0 kg 2,3 kg 3,0 kg 3,5 kg 4,5 kg 6,0 kg 7,5 kg 9,0 kg
()		,,,

Surface (selectable) Surface designs BASIC | PREMIUM

Material Foamed polypropylene (B1), HIPS, PET

LED light color Neutral white 4000K | Warm white 3000K

Dimmable (selectable) No | DALI | SmartControl via Casambi App

Suspension Canopy Ø270x50mm | Ø360x60mm incl. switching power supply, power supply 230V ~50Hz

with ropes and grippers - height continuously adjustable

LED Ring luminaires | SLIM UP & DOWN HighPerformance
















Dimensions





Weight









Ø 580 mm, cross-se	ction 80 x 60 mm (HxB)	39W 4.030lm	2,0 kg
Ø 780 mm, cross-se	ction 80 x 60 mm (HxB)	54W 5.670lm	2,3 kg
Ø 1.000 mm, cross-s	section 80 x 60 mm (HxB)	71W 7.370lm	3,0 kg
Ø 1.180 mm, cross-s	ection 80 x 60 mm (HxB)	84W 8.820lm	3,5 kg
Ø 1.500 mm, cross-s	section 80 x 60 mm (HxB)	108W 11.340lm	4,5 kg
Ø 2.000 mm, cross-s	section 80 x 60 mm (HxB)	144W 15.120lm	6,0 kg
Ø 2.500 mm, cross-s	section 80 x 60 mm (HxB)	180W 18.900lm	7,5 kg
Ø 3.000 mm, cross-s	section 80 x 60 mm (HxB)	218W 22.660lm	9,0 kg
Surface	(selectable) Surface designs E	BASIC PREMIUM	
Material	Foamed polypropylene (B	1), HIPS, PET	
LED light color	Neutral white 4000K War	rm white 3000K	
Dimmable	(selectable) No DALI Sma	artControl via Casambi A	, pp
Suspension	Canopy Ø270x50mm Ø3 with ropes and grippers - h		g power supply, power supply 230V ~50Hz

Power

LED Ring luminaires | Triangle




























Dimensions		Powe	er
	cross-section 120 x 120 mm nm, cross-section 120 x 120 mm		2.050lm 3.670lm
1.150 x 1.150 x 1.150 m 1.300 x 1.300 x 1.300	cross-section 120 x 120 mm nm, cross-section 120 x 120 mm mm, cross-section 100 x 200 mm mm, cross-section 100 x 250 mm	73W 78W	3.350lm 6.590lm 7.020lm 11.340lm
Surface	(selectable) Surface designs BASIC	PREMII	IM

Surface (selectable) Surface designs BASIC | PREMIUM

Material Foamed polypropylene (B1), HIPS, PET

LED light color Neutral white 4000K | Warm white 3000K

Dimmable (selectable) No | DALI | SmartControl via Casambi App

Suspension Canopy Ø100x25mm | Ø360x60mm incl. switching power supply, power supply 230V ~50Hz

with ropes and grippers - height continuously adjustable

LED Ring luminaires | THE CROWNLIGHT 19th CENTURY



The Crownlight 19th Century is a lighting composition that is second to none. Exclusivity is taken literally here. This light fixture is unique. It skillfully combines the 19th century with modernity with playful ease. An eye-catcher that captivates the viewer and enhances any room.


























Dimensions		Power	Weight
Ø 750 mm, cross-s	ection 120 x 85 mm (HxB)	38 LED's 7,6W 610Im	4 kg
Ø 950 mm, cross-s	ection 120 x 85 mm (HxB)	48 LED's 9,6W 770lm	5 kg
Ø 1.150 mm, cross-se	ection 120 x 85 mm (HxB)	58 LED's 11,6W 930lm	6 kg
Ø 1.350 mm, cross-s	ection 120 x 85 mm (HxB)	68 LED's 13,6W 1.090lm	7 kg
Ø 1.550 mm, cross-s	ection 120 x 85 mm (HxB)	78 LED's 15,6W 1.250lm	8 kg
Surface Material	(selectable) Surface designs B		
Malerial	гоаттеа рогургоругене (вт	J, TIII 3, T LT	
LED light color	Warm white 2700K		
Dimmable	(selectable) No DALI Small	rtControl via Casambi App	
Suspension	• •	switching power supply, pow er - height continuously adjus 5m	

LED Ring luminaires | THE CROWNLIGHT 21th CENTURY




Futuristic design in the form of light. This ring light floats in the room with cool elegance, designed for the next century. The icing on the cake in interior design. Lighting that sticks.























Dimensions		Power	Weight	
Ø 950 mm, cross-s Ø 1.150 mm, cross-se Ø 1.350 mm, cross-s	ection 120 x 85 mm (HxB) ection 120 x 85 mm (HxB)	48W 5.760lm 62W 7.490lm 77W 9.220lm 92W 11.090lm 108W 12.960lm	4 kg 5 kg 6 kg 7 kg 8 kg	
Surface Material	(selectable) Surface designs B	·		
LED light color	Neutral white 4000K Warm white 3000K			
Dimmable	(selectable) No DALI SmartControl via Casambi App			
Suspension	Canopy \emptyset 270x50mm incl. switching power supply, power supply 230V ~50Hz with 3 4 ropes and gripper - height continuously adjustable Supply cable 1,5m 3m 5m			

LED Ring luminaires | **Profileleuchten Linear**




























Profile	Power	
DOWN - cross-section 120 x 120 mm (HxB) DOWN HP - cross-section 120 x 120 mm (HxB)	•	1.080lm/m 2.280lm/m
SLIM DOWN - cross-section 80 x 60 mm (HxB) SLIM DOWN HP - cross-section 80 x 60 mm (HxB)	•	1.080lm/m 2.280lm/m
SLIM UP & DOWN - cross-section 80 x 60 mm (HxB) SLIM UP & DOWN HP - cross-section 80 x 60 mm (HxB)	•	1.300lm/m 2.590lm/m

Surface (selectable) Surface designs BASIC | PREMIUM

Material Foamed polypropylene (B1), HIPS, PET


LED light color Neutral white 4000K | Warm white 3000K

Dimmable (selectable) No | DALI | SmartControl via Casambi App

Canopy Ø270x50mm | Ø360x60mm incl. switching power supply, power supply 230V ~50Hz Suspension

with ropes and grippers - height continuously adjustable

LED Ring luminaires | Surface designs BASIC



Products | 26 | 27 | Granilux®







DM Smoke PF met







DM White

DM White matt









DM Silver, DM Fashion Grey, DM Champagne, DM Brown, DM Brass, DM Gold, DM Copper, DM Bronze, and DM Anthracite surfaces are reflective (chrome) surfaces.

PREMIUM







LL Charcoal Dark

LL Charcoal Light






LL LEGUAN Copper

MS Magic Black 5x5





WL Wenge Wood

WL Nutwood







WL Maple Alpine





Wire luminares

Shaping with wire offers almost limitless possibilities.

We offer some shapes as standard models, but we are also pleased to manufacture them individually according to your requirements.

Wire luminares | Skirt



Data









Dimensions

Elektric

Weight

Ø 600 mm, hight 350 mm

1x E27-socket

1,0 kg

Color

According to RAL

Material

Powder-coated steel wire

Suspension

Metal canopy with 1.5 m textile cable



LED Globe 80 clear 6W 2200K dimmable



LED Globe 125 GOLD 6W 2000K dimmable



LED Rustika Long Style clear 6W 2200K dimmable



LED Diamond clear 8W 2000-2900K Ambient dimmable



Wire luminares | PolygonOval



Data









Dimensions

Ø 800 mm, hight 500 mm 1x E27-socket 2,0 kg

Color According to RAL

Material Powder-coated steel wire

Suspension Metal canopy with 1.5 m textile cable







LED Globe 125 GOLD 6W 2000K dimmable



Elektric

LED Rustika Long Style clear 6W 2200K dimmable



Weight

LED Diamond clear 8W 2000-2900K Ambient dimmable



Wire luminares | Lantern



Data







Dimensions Elektric Weight

Color According to RAL

Ø 270 mm, hight 560 mm

Material Powder-coated steel wire

Suspension Metal canopy with 1.5 m textile cable



LED Globe 80 clear 6W 2200K dimmable



LED Globe 125 GOLD 6W 2000K dimmable



1x E27-socket

LED Rustika Long Style clear 6W 2200K dimmable



1,0 kg

LED Diamond clear 8W 2000-2900K Ambient dimmable



Wire luminares | Sphere



Data









Dimensions Elektric Weight

Color According to RAL

Ø 700 mm, hight 700 mm

Material Powder-coated steel wire

Suspension Metal canopy with 1.5 m textile cable



LED Globe 80 clear 6W 2200K dimmable



LED Globe 125 GOLD 6W 2000K dimmable



1x E27-socket

LED Rustika Long Style clear 6W 2200K dimmable



2,0 kg

LED Diamond clear 8W 2000-2900K Ambient dimmable



Wire luminares | Bell



Data







Dimensions Elektric

Ø 700 mm, hight 350 mm 1x E27-socket 1,0 kg

Color According to RAL

Material Powder-coated steel wire

Suspension Metal canopy with 1.5 m textile cable



LED Globe 80 clear 6W 2200K dimmable



LED Globe 125 GOLD 6W 2000K dimmable



LED Rustika Long Style clear 6W 2200K dimmable



Weight

LED Diamond clear 8W 2000-2900K Ambient dimmable



Wire luminares | Dome



Data







Dimensions

Elektric

Weight

Ø 500 mm, hight 400 mm

1x E27-socket

2,0 kg

Color

According to RAL

Material

Powder-coated steel wire

Suspension

Metal canopy with 1.5 m textile cable



LED Globe 80 clear 6W 2200K dimmable



LED Globe 125 GOLD 6W 2000K dimmable



LED Rustika Long Style clear 6W 2200K dimmable



LED Diamond clear 8W 2000-2900K Ambient dimmable



Wire luminares | Hats



Data









Dimensions	Elektric	Weight
Ø 300 mm, hight 270 mm	1x E27-socket	0,5 kg
Ø 400 mm, hight 370 mm	1x E27-socket	1,0 kg
Ø 500 mm, hight 470 mm	1x E27-socket	1,5 kg

Color According to RAL

Material Powder-coated steel wire

Suspension Metal canopy with 1.5 m textile cable



LED Globe 80 clear 6W 2200K dimmable



LED Globe 125 GOLD 6W 2000K dimmable



LED Rustika Long Style clear 6W 2200K dimmable



LED Diamond clear 8W 2000-2900K Ambient dimmable



Wire luminares | Woven baskets



Data









Dimensions	Elektric	Weight
Ø 500 700 mm, hight 400 mm	E27-socket mit Cover Ø 160 mm	3,0 kg
Ø 800 1.000 mm, hight 500 mm	E27-socket mit Cover Ø 200 mm	4,5 kg
Ø 1.100 1.300 mm, hight 600 mm	E27-socket mit Cover Ø 250 mm	6,0 kg

Color Natur

Material Powder-coated steel wire, natural rattan strip

Suspension Metal canopy with 3 m textile cable, ceiling mount with 3 ropes and gripper,

height continuously adjustable




Designer luminaires



Designer luminaires | Creative hat pendant lights





Data











Elektric	Weight
1x E27-socket	0,5 kg
1x E27-socket	1,0 kg
1x E27-socket	1,5 kg
	1x E27-socket 1x E27-socket

Design Individual

Material Powder-coated steel wire, Stoff, dekoration Suspension Metal canopy with 1.5 m textile cable

Chandelier | Chalina




A classic ceiling light with a clear design and modern implementation. Thanks to its various finishes, it is an adaptable and expressive light source.











Data

Suspension













Dimensions		Lampshade	Elektric	Weight
Ø 1.150 mm, hight 1. Ø 1.450 mm, hight 1 Ø 1.900 mm, hight 1	.450 mm	6x Ø 150/200 mm hight 250 mm 7x Ø 150/250 mm hight 300 mm 9x Ø 200/300 mm hight 300 mm	6x E27-socket 7x E27-socket 9x E27-socket	12,0 kg 25,0 kg 50,0 kg
Color Leuchter	(selectable) S	urface designs BASIC PREMIUM		
Lampshade colore (selectable) Chintz Chintz B1 Andor B1				
Material Foamed polypropylene, HIPS, PET, Chintz, PVC, Steel				

Metallcanopy mit 1,5m | 3m Textile cable & chain

Chandelier | Cherelyn




The chandelier interprets a delicate play of light that skillfully sets the scene.











Data

Color

Material













Elektric	Weight
10x E14-Fassung	4,5 kg
14x E14-Fassung	7,0 kg
20x E14-Fassung	9,6 kg
	10x E14-Fassung 14x E14-Fassung

Suspension Metal canopy with 1.5 m textile cable & chain

Steel, powder-coated brass


according to RAL

IMPRESSIONS





Projects



















































Designer luminaires



Production




Production




















Granilux® GmbH Leuchtenmanufaktur Am Brommerfeld 7 32758 Detmold

Tel.: +49 (0)5231 3032-401 Fax: +49 (0)5231 3032-403

> info@granilux.de www.granilux.de

